

Securing Digital Assets on Hybrid Platforms



Business Development Jeremie Francois





Troubleshooting

We know Synology better than anyone else

Synology Active Insight

Predict. Notify. Resolve



Customer Support Experience

Partners



Some SSD drives may be unresponsive after 1,700 cumulative idle power-on hours

Applies to: Windows Server 2019 Datacenter, Windows Server 2019 Standard, Windows Server 2016 Datacenter, More

Symptoms

Some 1.92 TB and 3.84 TB capacities SSD may experience an NAND "channel hang" condition that could cause the drive to become unresponsive after approximately 1,700 hours of cumulative idle power-on time.

When this issue occurs on a Windows Server Storage Spaces Direct (S2D) cluster, the cluster may experience any of the following symptoms:

- Slow workload performance.
- Virtual disks in the cluster have an Operational Status value of Detached or No Redundancy.
- The physical disk reports a status of Lost Communication or IO Error.
- The physical disk reports a status of Transient Error if the cluster node is restarted while the disk is in the unresponsive state.

Resolution

The NAND "channel hang" issue is currently addressed in the Maintenance Release 1 (MR1) of firmware as of March 2019. We recommend that you update to the latest firmware before the drive reaches 1,700 cumulative idle power-on hours.

Run the SSD Data Center Tool to inspect all affected disks as soon as possible, and take corrective actions as recommended. The SSD Data Center Tool is available at the following website:

SSD Data Center Tool

The following MR1 firmware binary is available for use together with the Storage Spaces Direct automated firmware update method, as appropriate for your device.

lore \checkmark	/
-------------------	---

Email this article

- 🖶 Print
- G Subscribe RSS Feeds



Actively update:

- status
- performance





Actively notify when problems are identified







Password



			公 芬	A.
earnt - Go	Solved: Delete inval	How to delete VM's	, Ot	t

ActiveInsight

Login



-

ActiveInsight		
Verview	←	
lost		09-14-2019 11:10:02
vent		Inconsistent Btrfs checksum
		Checksum inconsistency caused by hardware or memory issu
		UK-1 FS6400 1980PSN000543

Recommended Solution

Please confirm your hardware health status to ensure that yo

1. Please open your storage administrator and select the hard 2. After clicking on the health information and switching to th 3. When you see a non-zero value in the original value field of replacement.

4 - 1 - 1. If your RAID type does not have any fault tolerance, 4 - 1 - 2. After opening the Hyper Backup package, click the ne 4 - 1 - 3. After the data backup is complete, open the storage after execution.

4 - 1 - 4. After replacing it with a healthy hard drive, create a new storage space and use Hyper Backup to restore the backup data.


sues may result in file reading and writing errors.	Remind me in
	1 day
	2 days
	3 days
	4 days
your information is not compromised.	5 days
ard disk in step 2~4 on the HDD/SSD tab.	6 days
the S.M.A.R.T tab, select the complete test under S.M.A.R.T and click Start. of ID 5, 197, 198, it indicates that the hard disk is damaged. If the hard disk is damaged, ple	7 days
	10 days
, please install the Hyper Backup kit.	20 days
new backup task in the lower left corner to open the backup wizard to back up all your data	30 days
e administrator and go to the Storage tab to remove your current storage. Please note that	Never remind again
a new storage space and use Hyper Backup to restore the backup data.	

0




Active Insight mobile

System status in control, anytime and anywhere




How long can hard drives last?

- The same batch of drives fails at around the same time
- How you use drives determines how long they'll live



Big data analytics

Hard drive durability stats to offer replacement suggestions based on user environments



Prevent Problems

Predict Status

No. A

1.48 35.114 ALVER BY AND 4 BANY AND HENY THE CO. LONG BURN

111 <u>ه کا او</u>

.e. 1.7* · #

* A 494

* 14 18 2

Data Privacy & Security

10.00

surgering all a surger bigging . all the second second

(Barris

....

10.00 B



Synology Drive

Fulfilling different scales of file collaboration



One portal for all file access



100 million

Large file database Stable performance







Control External Sharing

Synology Drive	Admin Console
Coverview	General User Sync Profiles Sharing
Client list	Sharing Settings for Non-admin users
∷≣ Log	Sharing Permissions
Co Team Folder	 Allow users to share files publicly and internally Only allow specific user/group to share files p
Settings	Edit Haven't selected any user/group Enforce password protection when users sha
	Maximum link duration (days): 30
C	Allow users to share files internally
	 Disallow users to share files
	internel_sharing_rule
Centra	Allow users to share files internally with links and b









Q - Search

Modified time Size Labels 09/12/2019 13:10:05 2.9 MB - 09/16/2019 12:18:00 924.5 KB - 09/16/2019 12:18:04 4.4 MB - 03/26/2019 16:37:25 33.3 KB - 09/16/2019 13:50:51 475.2 MB - 09/17/2019 09:20:17 705.5 KB -				
09/16/2019 12:18:00 924.5 KB - 09/16/2019 12:18:04 4.4 MB - 03/26/2019 16:37:25 33.3 KB - 09/16/2019 13:50:51 475.2 MB -		Modified time	Size	Labels
09/16/2019 12:18:04 4.4 MB - 03/26/2019 16:37:25 33.3 KB - 09/16/2019 13:50:51 475.2 MB -	í.	09/12/2019 13:10:05	2.9 MB	
03/26/2019 16:37:25 33.3 KB - 09/16/2019 13:50:51 475.2 MB -	į.	09/16/2019 12:18:00	924.5 KB	
09/16/2019 13:50:51 475.2 MB -		09/16/2019 12:18:04	4.4 MB	
		03/26/2019 16:37:25	33.3 KB	
09/17/2019 09:20:17 705.5 KB -	E 22	09/16/2019 13:50:51	475.2 MB	3 2 (1
		09/17/2019 09:20:17	705.5 KB	

Synology Drive Admin Advanced Logs

- Events around sharing
- Better auditing capabilities
- Search tool for auditing

Synology Drive Admin Console

G Overview


Client List

⊞ Log

Team Folder

Settings

Export Settin	gs	l Events
Client Type	Log	Keyword:
Web	admin renamed file <u>Drive.zip</u> to <u>Product videos.zip</u> .	
Web	admin viewed file <u>Drive.zip</u> .	
Web	admin viewed file Synology FS3400 Data Sheet enu.pdf.	User:
Web	admin viewed file <u>f-UC3200 right-45-add.jpg</u> .	
Web	admin viewed file <u>f-UC3200 back.jpg</u> .	IP Address:
Web	admin viewed file <u>Chroma-crystal 1920x1200.png</u> .	
Web	admin viewed file PriceBook(2019-02-05)forIMUK (1).xlsx.	
Others	System edited the privileges of Satyam G's user home.	All Events
Web	Jeremie F viewed file <u>Synology</u> FS3400 Data Sheet enu.pdf.	Files
Web	Jeremie F viewed file <u>f-UC3</u> All	Sharing
Others	System edited the privilege	Service
Web	Joe R viewed file <u>Drive.zip</u> .	Actions by admin
Others	System edited the privilege	All Events
Web	Allow/disallow options to download a	and copy
	Set/remove password protection	Reset
and the second second	Set/remove link expiration	



							6
						☆	3
earnt - Go 🧑 Solved: Delete inval 🚾 How to delete VM's							C
					Ð	2	6
		-	2				4
		?	-	n x			
							1
rnally							
re files publicly							
without saving?							
Cancel Save							1
7					1		1
							The last
					- AND	13	
ks and by inviting DSM users or groups							
	Reset	Aj	pply				
	a for a for the for						

1 States



Synology Drive Safer enterprise file sharing solutions

Access Admin


Audit

One portal for all file access




Synology Drive Desktop On-demand Sync 2.0

- Log in desktop to instantly access all your files on NAS
- No need to configure the sync folder
- No need to occupy local capacity




Synology Drive Desktop On-demand Sync 2.0

- Log in desktop to instantly access all your files on NAS
- No need to configure the sync folder
- No need to occupy local capacity



Windows

Mac



Private cloud VS Public cloud?

.


.

.

.

.


.




Synology Hybrid Share


Hybrid Share

- Shared folder created on Synology C2
- Support SMB, AFP, NFS file protocol





(←) → 健 @



**



Package Center



Control Panel



File Station



DSM Help



Central Management System



Synology Directory Server



Snapshot Replication



Virtual Machine Manager





Hyper Backup



SAN Manager



Resource Monitor



DNS Server







Synology Drive Admin Console



Synology Drive





Synology Drive ShareSync













Ð




Single Site




Insufficient Storage Capacity

Rapid expansion tounlimited Synology C2 space




Rapid expansion to unlimited Synology C2 space



Access Files on the Cloud?








Local caching of files in the Cloud


Keep regularly used hot files on Synology NAS, and access at LAN speed.







Cache size setting



Single Site

Time-consuming Disaster Recovery



Fast File Recovery

Synology Hybrid Share

Fast Config Recovery

 \mathbf{X}


DSM 7.0 auto Config Backup



Multi-site


Duplicate Space on Storage


Saving storage space for individual site



Saving storage space for individual site

Create Intelligent Frequently-Used Cache in Each Site






Multi-site

Inefficient File Exchange

Occupied HQ External Bandwidth

















Hybrid Share

 Does not occupy headquarters external bandwidth



Hybrid Share

- Real-time file version change notification
- Does not occupy headquarters external bandwidth





Scalability

Fast data recovery


Distributed setups




Hybrid Share Synology Drive

Saving External Sharing Bandwidth

- Integrate sharing with Synology Drive \bullet
- For external access, file downloads will \bullet be through Synology C2



Employees





Scalability




Synology C2

Bandwidth



The Best of both clouds



Surveillance Station




Deep Learning NVR DVA3219

- Real-time on-premises analytics
- Ensure surveillance privacy
- Zero hidden costs





Traditional Analytics



Synology DVA3219

$\mathbf{v} \mathbf{0} \mathbf{\Delta}$



Challenges in the real world





Camera Selection

DVA Configuration



Camera Selection




20 FPS




10 FPS

DVA Configuration











Taipei Station Front Metro Mall

97% People counting accuracy



Intrusion detection

- Alert if human
- A dog entering won't trigger notification



No-idle zone

Parking VS traffic stop




Motion detection

- Only alert suspicious activity
- Natural movement of trees filtered out



Surveillance in control

- 260K monthly active users
- Real-time monitoring with DS cam




IP4M-1028B No motion detected today 10.17.52.140 | Scheduled recording

Enhance Playback Performance

Optimise User Experience

Enhance Playback Performance

- iOS/Android mobile hardware acceleration \bullet
- Fast playback with key frame •



Optimize User Experience

Multiple Operations

14:46 .11 🗢 🔳 19:09 04-18 13:01 FPS: 18 Bit Rate: 97 Bps Video Reso: 1280x720 1.0x 16:47:56 • LIVE **IP3M-HX2B** 16:00 16:30 17:00 17:30 Motion detected today (10, 5 (10) ⊕ Seek forward Extend Seek back Last event Next event timesca 14:18:35

IP4M-1028B

Layout Adjustment

Support AirPlay









Secure Digital Assets on Hybrid Platforms



Business Development Team Jeremie Francois